FCA CANADA

FCA Canada: 2020 Fiat 124 Spider

SPECIFICATIONS

Specifications are based on the latest product information available at the time of publication. All dimensions are in millimeters (inches) unless otherwise noted. All dimensions measured at curb weight with standard tires and wheels.

GENERAL INFORMATION

Body Style	Roadster
Assembly Plant	Hiroshima, Japan
EnerGuide Vehicle Class	Two-seater
Introduction Date	Summer 2016 as a 2017 model

BODY AND CHASSIS

Layout	Monocoque unibody; front and rear suspension subframes
Construction	High-tensile strength steel body to improve rigidity; double-wishbone suspension at the front and multi-link at the rear; sport suspension

ENGINE: 1.4-LITRE TURBOCHARGED MULTIAIR I-4

Availability	Standard
Type and Description	In-line four-cylinder, liquid-cooled, turbocharged
Displacement	1,368 cu cm (83.48 cu. in.)
Bore x Stroke	72.0 x 84.0 (2.83 x 3.31)
Valve System	Belt-driven, MultiAir, SOHC, 16 valves, hydraulic end-pivot roller rockers
Fuel Injection	Sequential, multiport, electronic, returnless
Construction	Cast-iron block with aluminum-alloy head and aluminum-alloy bedplate
Compression Ratio	9.8:1
Maximum Turbo Boost (psi / bar)	22 psi / 2.49 bar
Power (SAE)	160 hp (119 kW) @ 5,500 rpm (Classica and Lusso)
	164 hp (123 kW) @ 5,500 rpm (Abarth)
Torque (SAE)	184 lbft. (250 N•m) @ 2,500 rpm (Abarth in Sport Mode)
	184 lbft. (250 N•m) @ 3,200 rpm (Classica, Lusso, Abarth)
Max. Engine Speed	6,250 rpm (electronically limited)

87 octane (R+M)/2 acceptable 91 octane recommended
91 octane recommended
3.8 litre (4 quarts) with dry filter
7.2 litre (7.6 quarts) six-speed manual
7.1 litre (7.5 quarts) six-speed automatic
Three-way catalytic converter, heated oxygen sensors and internal engine features
9.0 (31)/ 6.7 (42)/ 7.9 (36) six-speed manual transmission
9.3 (30)/ 6.5 (43)/ 8.0 (35) six-speed automatic transmission
ent of Canada test methods used. Your actual fuel consumption will vary based , please visit the Government of Canada website: www.vehicles.nrcan.gc.ca
Not recommended
Termoli, Italy

B400 AISIN SIX-SPEED AUTOMATIC TRANSMISSION

Availability	Classica, Lusso, Abarth
Description	Planetary gear train, longitudinal layout
	Paddle-shifted driver-interactive manual control (Abarth)
Gear Ratios	
1st	3.538
2nd	2.060
3rd	1.404
4th	1.000
5th	0.713
6th	0.582
Reverse	3.168
Axle Ratios	3.583
Mechanical Limited-slip Differential	Standard on Abarth

MT6 SIX-SPEED MANUAL TRANSMISSION

Availability	Classica, Lusso, Abarth
Description	1st, 2nd, 3rd, 4th gear: Triple cone
Gear Ratios	

1st	4.363
2nd	2.348
3rd	1.647
4th	1.262
5th	1.000
6th	0.844
Reverse	3.863
Final-drive Ratio	3.454
Mechanical Limited-slip Differential	Standard on Abarth
ELECTRICAL SYSTEM	
Alternator	Denso SC2 150 A with LIN regulator
Battery	Q85
SUSPENSION	
Front	Double-wishbone front with stabilizer bars
	Tower strut bar (Abarth)
Rear	Multi-link rear with stabilizer bars
STEERING	
Туре	Double pinion electric power assist system (DP-EPAS) – rack and pinion
Overall Ratio	15.5
Turning Diameter (curb-to-curb)	9.4 m (30.8 ft.)
Steering Turns (lock-to-lock)	2.7
BRAKES	
Availability	Standard: Classica, Lusso, Abarth
Front	Ventilated front disc
Size and type	11-in. floating
Swept area (per caliper)	67.8 sq cm (10.5 sq. in.)
Rear	Solid rear disc
Size and type	11-in. floating

Swept area (per caliper)	63.0 sq cm (9.8 sq. in.)
Availability	Optional: Abarth
Front	Brembo ventilated front disc
Size and type	11-in. opposed
Swept area (per caliper)	120 sq cm (18.6 sq. in.)
Rear	Solid rear disc
Size and type	11-in. floating
Swept area (per caliper)	63 sq cm (9.8 sq. in.)
Power-assist Type	Vacuum booster
Four-wheel Anti-lock Brake System (ABS)	Standard
Electronic Stability Control (ESC)	Standard
Parking Brake Type	Mechanical (lever type)
Tanking Brake Type	mosnamou (1878) type)
DIMENSIONS AND CAPACITIES	
Wheelbase	2,309 (90.9)
Track, Front	1,496 (58.9)
Track, Rear	1,503 (51.1)
Overall Length	4,054 (159.6)
Overall Width	1,740 (68.5)
Overall Height	1,232 (48.5)
Approach Angle, degrees	13.1
Curb Weight, kg (pounds)	1,105 (2.436) six-speed manual (Classica, Lusso)
	1,124 (2.477) six-speed manual (Abarth)
	1,123 (2.476) six-speed automatic (Classica, Lusso)
	1,141 (2,516) six-speed automatic (Abarth)
Fuel Tank Capacity	45 litres (11.9 gallons)
ACCOMMODATIONS	
Seating Capacity — Front	2
Headroom	950 (37.4)
Legroom	1,096 (43.1)
Shoulder Room	2.11,325 (52.1)

Hip Room	1,320 (52.1)
Seat Travel	210 (8.3) driver / 170 (6.) passenger
Recliner Range (degrees)	From 25 nominal, 12 forward and 22 rearward
Cargo Space, litres (cu. ft.)	140 (4.94)
TIRES	
Availability	Standard: Classica
Size and type	195/50R16 Three-season
Mfr. and model	Yokohama Advan Sport V105
Revs per km (mile)	1,414.6 (879)
Availability	Standard: Lusso and Abarth
Size and type	205/45R17 Three-season
Mfr. and model	Bridgestone Potenza S001 (Lusso)
	Bridgestone Potenza RE-050A (Abarth)
Revs per km (mile)	1,377.6 (856)
· · · · · · · · · · · · · · · · · · ·	