

2010 DODGE GRAND CARAVAN AT A GLANCE

- 2010 Dodge Grand Caravan offers value, versatility and functionality with leading innovation in the minivan segment
 - Minivan-first Blind-spot Monitoring system (BSM) warns the driver of unseen vehicles when changing lanes via an audible chime and a visible icon on exterior mirrors
 - Minivan-first Rear Cross Path system (RCP) aids drivers any time the vehicle is in Reverse and warns the driver if any traffic is moving toward the vehicle via an audible chime and a visible icon on outside mirrors
 - With its athletic, yet contemporary interior and exterior design, two unique seating and storage options, and clever interior features, Dodge Grand Caravan is a “family room on wheels”—a vehicle that offers the ultimate flexibility and utility for active lifestyles
- The Swivel 'n Go™ and Stow 'n Go® seating and storage systems are exclusive to Dodge and Chrysler minivans, offering a variety of seating options without compromising in-floor storage space
 - Swivel 'n Go is a unique seating and storage system that offers in-floor cargo bins of the Stow 'n Go seating system combined with second-row quad chairs that rotate 180 degrees to face forward or rearward, and a stowable center table that installs between second- and third-row seats
 - Integrated child booster seats lift children to the adult-belted zone (available with the Swivel 'n Go seating system)
 - The Stow 'n Go seating and storage system is still an industry exclusive available only on Chrysler and Dodge minivans. These are the only minivans to offer fold-in-the-floor second-row seating (without the need to remove the seats) and fold-in-the-floor third-row seats
- Dodge Grand Caravan is a “family room on wheels” with its fun features, practical comforts and pleasant driving experience
 - Fun features include the Swivel 'n Go seating system, a nine-inch dual DVD system with swiveling third row that plays different media at the same time, SIRIUS Backseat TV,™ SIRIUS Satellite Radio, iPod® Control, surround sound, Uconnect™ Navigation with 30-gigabyte hard drive and real-time traffic monitoring, six LED pinpoint reading lamps, ambient halo lighting, a removable, sliding center console and removable flashlight in the tailgate
 - Practical comfort features include the Stow 'n Go seating and storage system, heated first- and second-row cloth or leather seats, remote start, second- and third-row sunshades, an umbrella holder next to the driver's seat, removable, dishwasher-safe cup holders, second-row power windows and third-row power-folding seats
- An available six-speed transmission, 17-inch, 5-spoke aluminum wheels with sport-tuned suspension and a 4.0-liter V-6 engine option offers a spirited driving experience
- Dodge Grand Caravan offers more than 40 safety features including segment-first BSM and RCP accident-avoidance systems, all-row side-curtain air bags, ParkSense® rear-park assist system⁽¹⁾ and ParkView™ rear back-up camera and Electronic Stability Control (ESC)

⁽¹⁾ Denotes most stationary obstacles. As with all electronically controlled systems, care is advised.

2010 DODGE GRAND CARAVAN SPECIFICATIONS

Dimensions are in inches (millimeters) at curb weight with standard wheels and tires unless otherwise noted.

GENERAL INFORMATION

Body Style	Multipurpose vehicle
Assembly Plant	Windsor, Ontario, Canada
EPA Vehicle Class	Multipurpose vehicle

ENGINE: 3.3-LITER OHV SMPI FFV V-6

Availability	Standard on Grand Caravan SE
Type and Description	Six-cylinder, 60° V-type, liquid-cooled
Displacement	210.5 cu. in. (3301 cu. cm)
Bore x Stroke	3.66 x 3.19 (93 x 81)
Valve System	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum-alloy heads
Compression Ratio	9.3:1
Power (SAE net)	175 hp (131 kW) @ 5,000 rpm (53 bhp/liter)
Torque (SAE net)	205 lb.-ft. (278 N•m) @ 4,000 rpm
Max. Engine Speed	5,600 rpm
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2, and up to E85 ethanol
Oil Capacity	5 qt. (4.7L)
Coolant Capacity	13.36 qt. (12.64L)—standard 16.28 qt. (15.4L)—with rear heater
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR, and internal engine features ⁽¹⁾
Estimated EPA Fuel Economy mpg (City/Hwy), NAFTA Markets	17/24
Assembly Plant	Trenton Engine Plant, Trenton, Mich. USA

⁽¹⁾ Meets Federal Tier 2, Bin 5+ emission requirements; marketed in California, New York, Massachusetts, Vermont and Maine as LEV II (Low Emission Vehicle).

ENGINE: 3.8-LITER OHV SMPI V-6

Availability	Standard on Grand Caravan SXT
Type and Description	Six-cylinder, 60° V-type, liquid-cooled
Displacement	230.5 cu. in. (3778 cu. cm)
Bore x Stroke	3.78 x 3.43 (96 x 87)
Valve System	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum-alloy heads
Compression Ratio	9.6:1
Power (SAE net)	197 hp (147 kW) @ 5,200 rpm (51.8 bhp/liter)
Torque (SAE net)	230 lb.-ft. (312 N•m) @ 4,000 rpm
Max. Engine Speed	5,600 rpm
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5 qt. (4.7L)
Coolant Capacity	16.28 qt. (15.4L)
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR, and internal engine features ⁽²⁾
Estimated EPA Fuel Economy mpg (City/Hwy), NAFTA Markets	16/23

2010 DODGE GRAND CARAVAN SPECIFICATIONS

Assembly Plant

Trenton Engine Plant, Trenton, Mich. USA

⁽²⁾ Meets Federal Tier 2, Bin 5+ emission requirements; marketed in California, New York, Massachusetts, Vermont and Maine as ULEV II (Ultra-Low Emission Vehicle).

ENGINE: 4.0-LITER SOHC 24-VALVE SMPI V-6

Availability	Optional on Grand Caravan SXT
Type and Description	Six-cylinder, 60° bank angle, liquid-cooled, with three-plenum intake manifold, electronically controlled manifold tuning valve and short-runner valves
Displacement	241.2 cu. in. (3952 cu. cm)
Bore x Stroke	3.78 x 3.58 (96 x 91)
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-iron liners and cast-aluminum heads
Compression Ratio	10.3:1 on mid-grade fuel
Power (SAE net)	251 hp (189 kW) @ 6,000 rpm (62.75 bhp/liter)
Torque (SAE net)	259 lb.-ft. (350 N•m) @ 4,100 rpm
Max. Engine Speed	6,000 rpm (electronically limited)
Fuel Requirement	Unleaded, 87 octane (R+M)/2
Oil Capacity	5.5 qt. (5.2L) SAE 10W-30
Coolant Capacity	16.28 qt. (15.4L)
Emission Controls	Maniverter three-way catalytic converters, quad-heated oxygen sensors and internal engine features
Estimated EPA Fuel Economy mpg (City/Hwy), NAFTA Markets	17/25
Assembly Plant	Trenton Engine Plant, Trenton, Mich. USA

TRANSAXLE: 41TE, AUTOMATIC FOUR-SPEED OVERDRIVE

Availability	Standard with 3.3L engine
Description	4-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1st	2.842
2nd	1.57
3rd	1.0
4th	0.69
Reverse	3.214
Final-drive Ratio	3.434
Overall Top-gear	2.37

TRANSAXLE: 62TE, AUTOMATIC SIX-SPEED OVERDRIVE

Availability	Standard with 3.8L and 4.0L V-6 engines
Description	6-speed, adaptive electronic control, electronically modulated torque converter clutch

2010 DODGE GRAND CARAVAN SPECIFICATIONS

Gear Ratios

1st	4.127
2nd	2.842
3rd	2.283
4th	Upshift—1.452 WOT kickdown—1.570
5th	1.0
6th	0.690
Reverse	3.214
Transfer Ratio	0.95
Final-drive Ratio	3.246 (3.8L Engine) / 3.16 (4.0L Engine)
Overall Top-gear	2.24

DRIVERTRAIN

Front-wheel Drive	Standard
-------------------	----------

ELECTRICAL SYSTEM

Alternator	140-amp—Standard SE 160-amp—Standard SXT, Available on SE
Battery	600 CCA, maintenance-free

DIMENSIONS AND CAPACITIES

Wheelbase	121.2 (3078.2)
Overhang—Front	37.6 (955.4)
Overhang—Rear	43.7 (1108.9)
Track—Front	65.5 (1663.2)
Track—Rear	64.8 (1645.0)
Overall Length	202.5 (5142.5)
Overall Width	76.9 (1952.2)
Overall Width with Mirrors	88.5 (2246.8)
Overall Height	68.9 (1750.1)
Trunk Lift-over Height	24.4 (619.9)
Cargo Width at Wheelhouse	49.03 (1245.5)
Maximum Cargo Height	48.56 (1233.4) SE 46.16 (1172.4) SXT
Angle of Approach (curb load)	14.3°
Angle of Departure (curb load)	18.7°
Breakover Angle (curb load)	13.9°
Minimum Running Ground Clearance (curb load)	6.1 (154.7)
Fuel Tank Capacity, gal. (L)	20 (76)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	5700 (2585)
Towing Capacity, lbs. (kg)	1800 (818)—SE 3800 (1727)—SXT with Trailer-tow Group

2010 DODGE GRAND CARAVAN SPECIFICATIONS

U.S. Curb Weight, lbs. (kg)

3.3L Gasoline Engine	4321 (1960.6)—SE, automatic transaxle Weight Distribution % F/R—56/44
3.8L Gasoline Engine	4483 (2038)—SXT, automatic transaxle Weight Distribution % F/R—56/44
4.0L Gasoline Engine	4514 (2047.3)—SXT, automatic transaxle Weight Distribution % F/R—56/44

ACCOMMODATIONS

Seating Capacity—F/I/R	2/2/3
SAE Total Interior Passenger Volume, cu. ft. (cu. m)	163.5 (4.63)/156.1 (4.42)

Front

Head Room	39.8 (1010.9)
Head Room with Sun Roof	37.2 (946.0)
Leg Room	40.6 (1031.7)
Shoulder Room	63.0 (1600.7)
Hip Room	57.0 (1446.9) SE 57.0 (1446.9) SXT
Seat Travel	8.7 (220)

Intermediate

Head Room	39.2 (996.7) SE 39.7 (1008.1) SXT
Leg Room	36.4 (923.8) SE 36.3 (922.5) SXT
Knee Clearance	3.5 (88.9) SE 3.6 (92.7) SXT
Shoulder Room	64.7 (1643.4)
Hip Room	64.8 (1646.0) SE 64.8 (1647.1) SXT
Seat Travel, Optional Swivel 'n Go™ Seats	3.9 (100)
Intermediate Passenger Volume, cu. ft. (cu. m)	53.4 (1.51) SE 54.0 (1.53) SXT

Rear

Head Room	37.9 (961.9)
Leg Room	37.6 (954.6) SE 31.8 (807.9) SXT
Knee Clearance	37.6 (113.0)/31.8 (156.7)
Shoulder Room	62.0 (1575.9)
Hip Room	48.7 (1237.7)
Rear-Passenger Volume, cu. ft. (cu. m)	51.1 (1.45) SE 43.2 (1.22) SXT

Cargo Volume

Maximum Cargo Volume, cu. ft. (cu. m)	143.8 (4.07) SE 140.1 (3.97) SXT
Behind Second-row Seats, cu. ft. (cu. m)	82.7 (2.34) / 83.7 (2.37)
Aft of Third-row Seat, cu. ft. (cu. m)	32.3 (0.92)
Total Passenger plus Cargo Volume, cu. ft. (cu. m)	195.8 (5.54) SE 188.4 (5.34) SXT

2010 DODGE GRAND CARAVAN SPECIFICATIONS

BODY/CHASSIS

Layout	Transverse front engine, front-wheel drive
Construction	Unitized steel with hinged front doors; sliding left and right side doors—power available; rear liftgate with gas props—power available

SUSPENSION

Front	Independent MacPherson strut, coil over gas-charged shock absorbers, stabilizer bar with isolated suspension cradle
Rear	Twist-beam axle with coil springs, track bar, gas-charged shock absorbers; self-leveling shock absorbers included with Trailer-Tow Group

STEERING

Type	Power rack-and-pinion
Overall Ratio	16.9:1
Turning Diameter (curb-to-curb)	39.1 ft. (11.92 m)
Steering Turns (lock-to-lock)	3.14

BRAKES

Power-assist Type	All—8 x 9 (204 x 320) tandem-diaphragm vacuum
Availability	U.S.—Standard on all Grand Caravan models
Front	
Size and Type	11.9 x 1.1 (302 x 28) vented rotors with 42 mm single-piston IPB caliper
Swept Area (total front)	55.0 sq. in. (355 sq. cm)
Rear	
Size and Type	12.0 x 0.47 (305 x 12) solid rotors with 42 mm single-piston IPB caliper
Swept Area (total rear)	54.3 sq. in. (350 sq. cm)
Parking Brake Type	Integral parking brake
Four-wheel Anti-lock (ABS)	Standard
Electronic Stability Control (ESC)	Standard
All-speed traction control	Standard

WHEELS (U.S.)

Availability	Standard on Grand Caravan SE
Type and Material	Steel with painted bolt-on wheel cover
Size	16 x 6.5-inch
Availability	Standard on Grand Caravan SXT, Optional on SE
Type and Material	Machined-face cast-aluminum with painted pockets
Size	16 x 6.5-inch
Availability	Optional on Grand Caravan SXT
Type and Material	Machined cast-aluminum with painted pocket
Size	17 x 6.5-inch

2010 DODGE GRAND CARAVAN SPECIFICATIONS

TIRES (U.S.)

Availability	Standard on Grand Caravan SE and SXT
Size and Type	225/65R16 BSW, all-season
Model	Yokohama Avid S33
Revs/per Mile (km)	762 (473)

Availability	Optional on Grand Caravan SXT
Size and Type	P225/65R17 BSW, all-season touring
Model	Bridgestone Turanza EL400
Revs/per Mile (km)	737 (458)

2010 DODGE GRAND CARAVAN FEATURE AVAILABILITY

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change.

	SE	SXT
EXTERIOR		
Antenna—Fixed long-mast	S	S
Colors		
Inferno Red Crystal Pearl Coat		
Dark Cordovan Crystal Pearl Coat		
White Gold Crystal Pearl Coat		
Deep Water Blue Pearl Coat		
Blackberry Pearl Coat		
Bright Silver Metallic Clear Coat		
Brilliant Black Crystal Pearl Coat		
Stone White Clear Coat		
Dark Titanium Pearl Coat	O	O
Defroster—Electric, rear-window	S	S
Door Handles		
Body-color	S	S
Fascias		
Body-color	S	S
Rear fascia scuff pad	S	S
Grille		
Black with body-color surround	S	—
Black with chromed surround	—	S
Lamps		
Halogen headlamps	S	S
Headlamp-off time delay	S	S
Fog lamps	—	S
Liftgate—Power (included with Popular Equipment Group on SE, optional on SXT “K” Group, included on SXT “L” Group)	P	O/P
Mirrors—Outside rearview		
Power, heated, manual fold-away	S	S
Body-color	—	S
Moldings		
Beltline—Black	S	S
Beltline—Chromed (included on SXT “L” Group)	—	P
Body-side—Body-color	S	—
Body-side—Chromed	—	S
Remote start (included with Popular Equipment Group and Family Value Group)	P	P
Roof Rack—Black side rails with crossbars	O	S
Wiper System		
Rear window wiper/washer	S	S
Windshield—Variable intermittent	S	S
Rain-sensitive windshield wipers (included with Security Group)	—	P

2010 DODGE GRAND CARAVAN FEATURE AVAILABILITY

	SE	SXT
INTERIOR		
Climate Control (Air Conditioning and Heat)		
With three-zone manual temperature controls	S	S
With three-zone automatic temperature controls and cabin air filtering (included with Premium Group and Power Sunroof)	—	P
Rear – (2nd and 3rd rows)	S	S
Assist Handles	S	S
Auxiliary Power Outlets		
115-volt (included with Entertainment Group I)	P	S
12-volt DC, front and rear	S	S
Carpet—Floor and cargo area	S	S
Colors		
Medium Slate Gray / Light Shale	0	0
Dark Slate Gray / Light Shale	0	0
Console		
Floor console with four cup holders	S	S
Premium removable/sliding front-row console with four cup holders and power outlet (included with Family Value Group)	—	P
Overhead console	S	S
Rear overhead console with four storage bins	—	S
Door Locks—Power	S	S
Doors—Left/right power sliding rear-passenger (included with Popular Equipment Group)	P	S
Door Trim—Front	S	S
Satin silver accents	S	—
Premium trim panels with Blackwood appliqué and satin silver accents	—	S
Floor Mats—Easy-clean	S	S
Grocery Bag Hooks—Rear seatback	S	S
HomeLink universal transceiver	—	S
Illumination		
Entry illumination	S	S
Liftgate flood lamp	S	S
Front courtesy/map lights	S	S
Rear dome lamp	S	—
Courtesy door lamps	—	S
Front-door storage illumination	—	S
Cup holder illumination	—	S
Overhead ambient surround lighting	—	S
Rear swiveling reading/courtesy lamps	—	S
Instrument Panel		
Instrument cluster with 120-mph primary speedometer	S	—
Four gauge, white-face instrument cluster with 120-mph primary speedometer and tachometer	—	S
Premium instrument panel with Blackwood appliqué, satin silver accents and LED lighting	—	S
Electronic Vehicle Information Center (EVIC) with trip computer (included on SXT “L” Group)	—	P
Satin silver bezel	S	S
Trip computer with temperature and compass (included on SE “G” Group)	P	S

2010 DODGE GRAND CARAVAN FEATURE AVAILABILITY

	SE	SXT
Mirror		
Day/night manual rearview	S	S
Automatic-dimming rearview mirror (included with Entertainment Group II and Security Group)	—	P
Interior observation/conversation mirror with sunglass holder	S	S
Pedals		
Power-adjustable (packaged with Popular Equipment Group)	P	S
Seats		
Cloth, low-back bucket seats with head restraints	S	S
Front-passenger active head restraints	S	S
Stain-repel seat fabric	S	S
Leather-trimmed bucket seats	—	P
Stow 'n Go® second-row bucket seating and storage system	S	S
Swivel 'n Go™ second-row swiveling bucket seats (available with Leather-trimmed seats only)	—	0
Heated front seats (optional on SXT "K" Group, included on SXT "L" Group)	—	0/P
Heated second-row seats (optional on SXT "K" Group, included on SXT "L" Group)	—	0/P
Integrated child booster seat available with (available with Swivel 'n Go™ seats)	—	0
Eight-way power driver seat	—	S
Eight-way power driver and passenger seats (included on SXT "L" Group)	—	P
Power folding third-row 60/40 bench seat (included with Premium Group)	—	P
Driver adjustable lumbar—Manual	—	S
Shift Knob—Leather-wrapped	—	S
Sound Systems		
AM/FM radio with CD player and MP3 play capability	S	S
Four speakers	S	—
Six speakers (packaged with Entertainment Group I)	P	S
Nine speakers with subwoofer and 506-watt amplifier (included with Premium Group)	—	P
SIRIUS Satellite Radio (first-year service provided by SIRIUS) (packaged with Entertainment Group I)	P	S
SIRIUS Backseat TV™ (first-year service provided by SIRIUS) (must have Entertainment Group II)	—	0
Uconnect Multimedia (packaged with Entertainment Group I on SE, and Entertainment Group II on SXT)	P	0/P
Uconnect Navigation	—	0
Speed Control	S	S
Steering Wheel		
Tilt-steering column	S	S
Steering-wheel-mounted audio controls	—	S
Leather-wrapped	—	S
Storage		
Driver and front-passenger door storage with bottle holder	S	S
Driver-side umbrella holder	S	S
Glove boxes, dual with lower dampened	S	S
Lower instrument panel cubby bin	S	S
Map pockets, second-row	S	S
Sliding door bottle holders	S	S
Left rear-quarter trim storage bin	S	S
Overhead storage (four overhead storage bins)	—	S

2010 DODGE GRAND CARAVAN FEATURE AVAILABILITY

	SE	SXT
Sun Roof—Power, with mini overhead console	—	0
Sun Visors—Driver and front-passenger with mirror	S	—
Sun Visors—Driver and front-passenger with illuminated mirror	—	S
Uconnect Phone (included with Premium Group and Security Group)	—	P
iPod® Control (included with Premium Group and Security Group)	—	P
Windows		
Sunscreen glass	0	S
Power, with driver and front-passenger express-up-down (included with Popular Equipment Group)	P	S
Power, second-row (included with Popular Equipment Group)	P	S
Power, rear quarter vents (included with Popular Equipment Group)	P	S
Window Shades—Second- and third-row (included with Family Value Group)	—	P

POWERTRAIN AND CHASSIS

3.3L V-6 OHV engine with 4-speed automatic transmission	S	—
3.8L V-6 OHV engine with 6-speed automatic transmission	—	S
4.0L V-6 SOHC engine with 6-speed automatic transmission (optional on SXT "K" Group, included on SXT "L" Group)	—	0/P
Alternator		
160-amp	S	S
Battery—600-amp, maintenance-free	S	S
Brakes—Power, four-wheel disc with ABS	S	S
Engine Block Heater	0	0
Engine Oil Cooler (packaged with Trailer-tow Group on SXT)	—	P
Flex Fuel Vehicle (FFV)	S	—
Front-wheel Drive	S	S
Fuel Tank—20-gallon capacity	S	S
Remote start (included with Popular Equipment Group on SE, and Family Value Group on SXT)	P	P
Steering—Power rack-and-pinion	S	S
Suspension		
Front—Independent MacPherson	S	S
Rear—Twist-beam axle with coil springs, track bar, gas-charged shock absorbers	S	S
Load-leveling and height control (included with Trailer-Tow Group)	—	P
Sport Suspension (included with 4.0L engine)	—	P
Traction Control	S	S
Tires		
P225/65R16 BSW All-season	S	S
P225/65R17 BSW All-season Touring (included with 4.0L engine)	—	P
Compact spare tire	S	S
Wheels		
16-inch steel wheels with full wheel covers	S	—
16-inch aluminum wheels (included on SE "G" Group)	P	S
17-inch aluminum wheels (included with 4.0L engine)	—	P

2010 DODGE GRAND CARAVAN FEATURE AVAILABILITY

	SE	SXT
SAFETY AND SECURITY		
Air Bags		
Advanced multi-stage driver and front passenger	S	S
Supplemental all-row side-curtain	S	S
Anti-lock Four-wheel Disc Brakes	S	S
Brake Assist	S	S
Electronic Stability Control (ESC)	S	S
Emergency Accident Response System (EARS)	S	S
HomeLink universal transceiver	—	0
Horn—Dual note electric	S	S
Illuminated Entry	S	S
LATCH (Lower Anchors and Tethers for Children)	S	S
ParkSense® rear-park assist system (included with Security Group)	—	P
ParkView™ rear back-up camera	P	P
Remote keyless entry	S	S
Removable Rechargeable Flashlight (included on SXT "L" Group)	—	P
Seat Belts (Three-point lap to shoulder)	S	S
Security Alarm	—	P
Sentry Key® engine immobilizer	S	S
Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) Systems (included with Security Group)	—	P
Tip Start	S	S
Tire-pressure Warning Lamp in Instrument Cluster	S	S
Warning Chime	S	S

2010 DODGE GRAND CARAVAN FEATURE AVAILABILITY

	SE	SXT
PACKAGES / EQUIPMENT GROUPS		
Grand Caravan SE "G" Group —Includes 16-inch aluminum wheels, trip computer with compass/temperature display, sunscreen glass, gauge cluster with tachometer, power driver and front-passenger windows, power second-row windows and third-row vents	0	—
Grand Caravan SXT "K" Group —Includes fog lamps, dual power-sliding doors, overhead console with LED lamps, ambient halo light ring, four storage bins (two bins with Entertainment Group II), HomeLink universal transceiver, illuminated vanity visor mirror, 115-volt auxiliary power inverter, leather-wrapped shift knob, leather-wrapped steering wheel with audio controls, eight-way power driver-seat with manual lumbar, SIRIUS Satellite Radio, six-speakers, power-adjustable pedals, compass/temperature/trip computer, sunscreen glass, roof rack, power second-row windows, power third-row vents and front door courtesy lamps and illuminated front-door map pocket	—	0
Grand Caravan SXT "L" Group —In addition to Grand Caravan SXT "K" group, includes leather-trimmed seating, 4.0-liter V-6 engine with 3.16 final-drive ratio, sport-tuned suspension, 17-inch aluminum wheels and tires, power liftgate, rechargeable flashlight, Electronic Vehicle Information Center (EVIC) with trip computer, eight-way power front-passenger seat, heated first- and second-row seats, and chromed beltline molding	—	0
Entertainment Group I —Includes Uconnect Multimedia, six speakers, ParkView™ rear back-up camera, SIRIUS Satellite radio, second-row overhead DVD console with nine-inch video screen, two wireless headphones, video remote control, and 115-volt auxiliary power outlet	0	—
Popular Equipment Group —Includes right and left power-sliding rear doors, power second-row windows, power third-row vents, power liftgate, power-adjustable pedals, and remote start	0	—
Flexible Seating Group —Includes second-row Swivel 'n Go™ quad chairs which swivel 180 degrees rearward to face the third-row seats, removable and storable table for the second and third row, and "Swivel! 'n Go" badge (available with leather seating only)	—	0
Mopar Exterior Appearance Group —Includes bright door sills, premium floor mats with logo, splash guards and body-color running boards	0	0
Premium Group —Includes automatic temperature control with three-zone temperature control; rain-sensitive windshield wipers; power-folding third-row seat; nine-speaker sound system with subwoofer and 506-watt amplifier; Uconnect Phone, iPod® Control, and auto-dimming rearview mirror with integrated microphone	—	0
Heated Seating Group —Includes heated front- and second-row seats	—	0
Security Group —Includes security alarm, Uconnect Phone, iPod® Control, auto-dimming rearview mirror with integrated microphone; ParkSense® rear-park assist system, and Blind-spot Monitoring (BSM) and Rear Cross Path (RCP) accident-avoidance systems	—	0
Entertainment Group II —Includes Uconnect Multimedia, ParkView™ rear back-up camera, second- and third-row nine-inch overhead DVD screens, two two-channel wireless headphones and switchable video remote control	—	0
Family Value Group —Includes removable center front-seat console; second- and third-row window shades; and remote start	—	0
Trailer-tow Group —Includes heavy-duty engine cooling with engine oil cooler, heavy-duty transmission oil cooler, heavy-duty radiator, load leveling and height control, and trailer-tow wiring harness	—	0