



Body Style: Five- or seven-passenger mid-size crossover

Layout: Transverse front engine, FWD/AWD

Seat Layout: 2/3 or 2/3/2

EPA Vehicle Class: Sport-utility vehicle

Assembly: Toluca, Mexico

2010 DODGE JOURNEY PACKED WITH INNOVATIVE FEATURES AND FLEXIBILITY

The 2010 Dodge Journey redefines the expanding mid-size crossover segment, offering seven-passenger seating, safety and security, cargo flexibility and great all-weather driving capability. Add in its youthful, sporty look, fun-to-drive dynamics, innovative features and 25-mpg highway fuel-efficiency, and Dodge Journey gives customers the complete value package.

With unique seating and best-in-class storage solutions, Dodge Journey is designed to meet the needs of many customers—ranging from young singles, couples and families with small children to mature families—who want the capability to do more. Designed from the ground up, Dodge Journey is a right-sized crossover that combines the versatility of a larger sport-utility vehicle with the efficiency of a passenger car.

With the simple turn of a lever, Dodge Journey's available 5+2-passenger-seating system quickly folds the Tilt 'n Slide™ second-row seat cushion upward and slides the entire seat forward, allowing third-row passengers easy in-and-out access. Two available integrated child booster seats, a first in the mid-size crossover segment, quickly pull out from the second-row seat cushion, eliminating the need to transport bulky child seats. Spacious storage bins, including the Flip 'n Stow™ front-passenger seat concealed storage bin, Chill Zone™ glove box beverage cooler and second-row dual in-floor storage bins with liners are easy to reach.

In-vehicle technologies include Uconnect™ Navigation with a 30-gigabyte hard drive with voice commands, iPod® Control, Uconnect Phone and real-time traffic monitoring. Rear-seat passengers will enjoy the available rear-seat entertainment system with a nine-inch screen, two wireless headphones and available SIRIUS Backseat TV™.

MODELS / POWERTRAINS

MODEL	ENGINES		TRANSMISSIONS	
	2.4L I-4	3.5L V-6	4-SPEED AUTO (41TES)	6-SPEED AUTO (62TE)
SE	S	—	S	—
SXT	—	S	—	S
SXT AWD	—	S	—	S
R/T	—	S	—	S
R/T AWD	—	S	—	S

NEW FOR 2010

- Improved highway fuel economy (1 mpg) with 3.5-liter V-6 engine (on Journey SXT and R/T front-wheel and all-wheel drive models)
- Fuel-saver with "ECO" lamp indicator in cluster
- Driver and front-passenger active head restraints (all models)
- Larger nine-inch video entertainment system screen (available on Journey SXT and R/T)
- Four-wheel anti-lock disc brakes with hydraulic-boost compensation (all models)
- Remote keyless entry (standard on Journey SE)
- Dark Slate monotone interior (all models)

SAFETY AND SECURITY


More than 35 safety and security features including:

- Advanced Multi-stage Air Bags
- Supplemental Side-curtain Air Bags
- Supplemental Side Air Bags
- Electronic Stability Control (ESC)
- Interior Head-impact Protection

FUEL ECONOMY (city/hwy)

2.4L DOHC I-4	3.5L SOHC V-6
19/25 – FWD	16/24 – FWD
	15/23 – AWD

DIMENSIONS, IN. (MM)



O.A. Width: 72.2 (1834.5)	Curb Wt. lb.(kg):
Track, Front: 61.8 (1570.8)	3,801 (1724) -
Track, Rear: 62.3 (1581.8)	4,233 (1920) varies

2010 DODGE JOURNEY AT A GLANCE

Dodge Journey blends the capability of a sport-utility vehicle (SUV) and the overall efficiency of a passenger car into a “right-sized” crossover for the Dodge brand:

- Bold, capable and youthful styling
- Proportions make it the right size for city streets and garage parking
- Chromed crosshair grille, center-stamped Dodge Ram’s head and quad headlamps
- Available 19-inch aluminum wheels enhance its athletic stance
- Efficient 2.4-liter World Engine offers 19 city / 25 highway mpg
- Available all-wheel drive enhances all-weather capability

Dodge Journey offers a best-in-class storage system with a unique combination of versatility and flexibility:

- Available 5+2 passenger seating with 50/50-split third-row seat with recline feature
- Second-row seats with Tilt ‘n Slide™ provide easy third-row entry
- Fold-flat front seat with Flip ‘n Stow™
- Child presentation feature
- Integrated child booster seats
- Second-row (and third-row if equipped) stadium seating
- 90-degree rear-door openings
- Two second-row in-floor storage bins with washable liners
- Tri-section load floor for 5-passenger vehicles
- Rear in-floor storage bin for 7-passenger vehicles
- Sunglass bin with child observation mirror
- Sliding center arm rest
- Available heated front seats with leather or premium cloth

Dodge Journey offers more innovative features than any other vehicle in its class:

- Uconnect Multimedia with 30-gigabyte hard drive with touch-screen
- Uconnect Navigation with 30-gigabyte hard drive, voice commands and real-time traffic monitoring
- Uconnect Phone
- SIRIUS Backseat TV™ and SIRIUS Satellite Radio
- iPod® Control
- Rear-seat DVD video entertainment system (VES®) with audio/video input jacks
- Chill Zone™ beverage storage
- Aimable LED map/reading lamps
- Illuminated cup holders
- 115-volt power inverter

More than 35 advanced safety and security features, including a 5-star government front- and side-crash test rating:

Safety features include:

- Active head restraints for driver and front-passenger
- Advanced multi-stage driver and front-passenger air bags
- All-speed traction control
- Anti-lock Brake System (ABS)
- Brake Assist
- Brake-traction Control System (BTCS)
- Child seat anchor system: LATCH (Lower Anchors and Tethers for CHildren)
- Electronic-roll Mitigation (ERM)
- Electronic Stability Control (ESC)
- Enhanced Accident Response System (EARS)
- Integrated child booster seats
- ParkView™ rear back-up camera
- Side-occupant protection system
- Supplemental side air bags
- Supplemental side-curtain air bags
- Tire-pressure Monitoring (TPM)
- Trailer-sway Control (TSC)

2010 DODGE JOURNEY SPECIFICATIONS

The information shown is based on data available at the time of publication and is subject to change without notice. All measurements are in inches (mm) unless otherwise noted.

GENERAL INFORMATION

Body Style	Four-door; five- or seven-passenger
Assembly Plant	Toluca Assembly, Mexico
U.S. EPA Vehicle Class	Sport-utility vehicle

ENGINE: 2.4-LITER DOHC 16-VALVE, VVT, SMPI I-4

Availability	Standard on Journey SE
Type and Description	Four cylinders in line, tuned intake manifold with dual counter-rotating balance shafts and dual Variable-valve Timing (VVT)
Displacement	144 cu. in. (2360 cu. cm)
Bore x Stroke	3.46 x 3.82 in. (88 x 97 mm)
Compression Ratio	10.5:1
Power (SAE net, estimated)	173 bhp (129 kW) @ 6,000 rpm (71 bhp/liter)
Torque (SAE net, estimated)	166 lb.-ft. (225 N•m) @ 4,000 rpm
Maximum Engine Speed	6,500 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	4.5 qt. w/filter (4.26L) SAE 5W-20
Coolant Capacity	7.9 qt. (7.5L)—single-zone climate control
Emission Controls	Single catalytic converter, dual heated oxygen sensors and internal engine features ⁽¹⁾
EPA Fuel Economy mpg (City/Hwy)	19/25 (FWD)

ENGINE: 3.5-LITER SOHC, 24-VALVE SMPI V-6

Availability	Standard on Journey SXT and R/T
Type and Description	60-degree bank angle, liquid-cooled, three-plenum intake manifold with electronically controlled manifold tuning valve and short-runner valves
Displacement	215 cu. in. (3518 cu. cm)
Bore x Stroke	3.78 x 3.19 in. (96 x 81 mm)
Compression Ratio	10.0:1
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Power (SAE net, estimated)	235 bhp (175 kW) @ 6,400 rpm (67.1 bhp/liter)
Torque (SAE net, estimated)	232 lb.-ft. (315 N•m) @ 4,000 rpm
Maximum Engine Speed	6,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2—preferred Unleaded regular, 87 octane (R+M)/2—acceptable
Oil Capacity	5.5 qt. w/filter (5.2L) SAE 10W-30 MAF
Coolant Capacity	9.8 qt. (9.3L)—single- or dual-zone climate control 12.0 qt. (11.4L)—tri-zone climate control
Emission Controls	Three-way catalytic converter, electronic EGR, and internal engine features ⁽²⁾
EPA Fuel Economy mpg (City/Hwy)	16/24 (FWD) and 15/23 (AWD)

2010 DODGE JOURNEY SPECIFICATIONS

TRANSAXLE: 40TES AUTOMATIC FOUR-SPEED OVERDRIVE

Availability	Standard on Journey SE with 2.4L engine
Description	Four-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1st	2.842
2nd	1.57
3rd	1.0
4th	0.69
Reverse	2.21
Final-drive Ratio	4.28
Overall Top-gear	2.95

TRANSAXLE: 62TE/62TEA AUTOMATIC SIX-SPEED OVERDRIVE

Availability	62TE standard on Journey SXT and R/T 62TEA standard on Journey SXT and R/T with AWD
Description	Six-speed, adaptive electronic control and electronically modulated torque converter clutch
Gear Ratios	
1st	4.127
2nd	2.842
3rd	2.283
4th	1.452—Upshift 1.570—WOT kickdown
5th	1.00
6th	0.690
Reverse	3.214
Transfer Ratio	0.95
Final-drive Ratio	3.16
Overall Top-gear	2.06

DRIVETRAIN

Front-wheel Drive	
Availability	Standard on all Journey SE, SXT and R/T
All-wheel Drive	
Availability	Available on Journey SXT and R/T
Type	Electronically-controlled Coupling (ECC) with variable torque output
Rear Differential	Open

BODY/CHASSIS

Layout	Transverse front engine, front-wheel drive or all-wheel drive
Construction	Steel unibody

SUSPENSION

Front	Independent MacPherson strut, coil spring over gas-charged shock absorbers, stabilizer bar with isolated suspension cradle
Rear	Multi-link independent with coil springs, link-type stabilizer bar, gas-charged shock absorbers and isolated rear suspension cradle

2010 DODGE JOURNEY SPECIFICATIONS

STEERING

Type	Power rack-and-pinion
Overall Ratio	18.6:1 (std.), 16.45 (performance)
Turning Diameter (curb-to-curb)	38.5 ft. (11.7 m)—16-in. or 17-in. wheels and tires 39.0 ft. (11.9 m)—19-in. wheels and tires
Steering Turns (lock-to-lock)	3.3 (std.), 2.92 (performance)

ELECTRICAL

Battery	525-amp maintenance-free
Alternator	140-amp—Standard with 3.5L gasoline engine 160-amp—Standard with 2.4L gasoline engine and included with seven-passenger vehicles

BRAKES

Four-wheel Anti-lock Disc	Standard on all Journey models
Front	
Size and Type	11.9 x 1.1 in. (302 x 28 mm) vented rotors with 2.6 (66.0) single-piston floating caliper
Swept Area (total front)	231.6 sq. in. (1494 sq. cm.)
Rear	
Size and Type	12.0 x 0.47 in. (305 x 12 mm) solid rotors with 1.7 (43.0) single-piston floating caliper
Swept Area (total rear)	216.3 sq in. (1395 sq. cm.)
Power-assist Type	8 x 9 in. (204 x 230 mm) tandem-diaphragm vacuum
Parking Brake Type	Foot lever with integral parking brake

ELECTRONIC CHASSIS CONTROL FEATURES

Four-wheel Disk Anti-lock (ABS)	Standard
Electronic Stability Control (ESC)	Standard
All-speed traction control	Standard
Trailer-sway Control (TSC)	Standard
Electronic-roll Mitigation (ERM)	Standard

DIMENSIONS AND CAPACITIES

General	
Wheelbase	113.8 (2889.8)
Track, Front	61.8 (1570.8)
Track, Rear	62.3 (1581.8)
Overall Length	192.4 (4887.6)
Overhang, Front	38.9 (989.3)
Overhang, Rear	39.7 (1008.5)
Overall Width	72.2 (1834.5)
Body Width, including Mirrors	83.7 (2127.0)
Overall Height (with P225/65R17 tires)	66.6 (1692.6)
Vehicle Height including Roof Rack Assembly Complete (with P225/65R17 tires)	69.5 (1765.2)
Aero	
CdA	10.6
Cd	0.368

2010 DODGE JOURNEY SPECIFICATIONS

Fuel Tank Capacity, gal. (L)	2.4L PEZV—18.5 (70) 2.4L and 3.5L FWD—20.5 (77.6) 3.5L AWD—21.1 (79.87)
Towing Capabilities, lbs. (kg)	
2.4L I-4 with Automatic Transaxle ⁽⁴⁾	1000 (450)
3.5L V-6 with Automatic Transaxle, FWD or AWD, and Trailer-Tow Prep Group ⁽⁵⁾	3500 (1600)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	
Five-passenger Vehicle, FWD SE	5005 (2270)
Seven-passenger Vehicle, FWD SXT or R/T	5100 (2313)
Five-passenger Vehicle, AWD	5250 (2380)
Seven-passenger Vehicle, FWD SXT or R/T	5450 (2472)
Seven-passenger Vehicle, AWD	5600 (2540)
Gross Axle Weight Rating (GAWR), lbs. (kg)	
Front	
Five- and seven-passenger vehicles	2750 (1247)
Rear	
Five- and seven-passenger vehicles	2900 (1315)
Curb Weight, Five-passenger Vehicle, Automatic Transaxle lbs. (kg)⁶	
2.4L I-4 Federal Engine	Journey SE, FWD—3801 (1724)
3.5L V-6 Engine	Journey SXT, FWD—4001 (1814) Journey SXT, AWD—4212 (1910) Journey R/T, FWD—4064 (1843) Journey R/T, AWD—4233 (1920)

ACCOMMODATIONS

Modeled data status as of November 10, 2007.

Dimensions represent SXT FWD. Cargo volumes are SAE standard except where noted.

Seating Capacity — F/R	2/3 or 2/3/2
EPA Volume Index, cu. ft. (cu. m)	136.28 (3.86) – 7-passenger / 139.21 (3.94) – 5-passenger
Total Interior Passenger Compartment Volume, cu. ft. (cu. m)	125.62 (3.56) – 7-passenger / 99.54 (2.82) – 5-passenger

First-Row

Head Room without Sun Roof	40.8 (1036.3)
Head Room with Sun Roof	39.2 (995.0)
Leg Room	40.8 (1036.3)
Shoulder Room	57.5 (1459.7)
Hip Room	53.8 (1366.5)
Seat Travel	10.23 (260)
Front Compartment Volume, cu. ft. (cu. m)	55.39 (1.57)

Second-Row

Head Room without Sun Roof	39.9 (1013.0)
Head Room with Sun Roof	39.2 (994.8)
Leg Room	33.6 (853.6)
Leg Room, Maximum	36.1 (916.7)
Shoulder Room	56.9 (1444.4)
Hip Room	54.4 (1381.9)
Couple, First to Second Row	30.5 (773.8)
Second Row Compartment Volume, cu. ft. (cu. m)	44.1 (1.2)

2010 DODGE JOURNEY SPECIFICATIONS

Third-Row

Head Room	37.7 (957.4)
Leg Room	23.4 (595.5)
Shoulder Room	51.1 (1298.5)
Hip Room	40.0 (1016.3)
Couple, Second to Third Row	30.1 (765.1)
Rear Compartment Volume, cu. ft. (cu. m)	26.1 (.74)

Cargo Area

Liftover Height @ Curb Load	30.8 (782.4)
Cargo Width @ Wheelhouse	41.4 (1050.5)
Maximum Cargo Height	33.1 (841.6)

Cargo Volumes

Behind First Row Seat, cu. ft. (cu. m)	67.6 (1.915)
Behind Second Row Seat, cu. ft. (cu. m) (5-passenger vehicles)	39.61 (1.121)
Behind Second Row Seat, cu. ft. (cu. m) (7-passenger vehicles)	37.0 (1.0)
Behind Third Row Seat, cu. ft. (cu. m)	10.7 (0.3)

WHEELS

Availability	Standard on Journey SE
Type and Material	Black steel wheel with six-spoke painted wheel cover
Size	16 x 6.5
Availability	Available on Journey SE
Type and Material	Machined cast-aluminum, painted pockets, five-spoke
Size	16 x 6.5
Availability	Standard on Journey SXT
Type and Material	Machined cast-aluminum, painted pockets, five-spoke
Size	17 x 6.5
Availability	Standard on Journey SXT and Journey R/T; Available on Journey SXT
Type and Material	Machined cast-aluminum, painted pockets, five-spoke
Size	19 x 7.0
Availability	Available on Journey SXT and Journey R/T
Type and Material	Chrome-clad cast-aluminum, six-spoke
Size	19 x 7.0
Availability	Standard on all Journey SE, SXT and R/T
Type and Material	Temporary spare steel wheel
Size	16 x 4.0 x 46

2010 DODGE JOURNEY SPECIFICATIONS

TIRES (U.S. AND CANADA)

Availability	Standard on Journey SE
Size and Type	P225/70R16, All-season
Model	Hankook DynaPro
Revs per Mile (km)	735 (465)

Availability	Standard on Journey SXT
Size and Type	P225/65R17, All-season Touring
Model	Kumho Solus KH16
Revs per Mile (km)	725 (471)

Availability	Standard on Journey R/T; Available on Journey SXT
Size and Type	225/55R19, All-season Touring
Model	Kumho Solus KH16
Revs per Mile (km)	711 (444)

Availability	Standard on Journey SE, SXT and R/T
Size and Type	T145/80 R16 temporary spare tire

⁽¹⁾ Meets Federal Tier 2, Bin 4+ emission requirements. Meets PZEV NMOG + NOx emission limits under ULEV II for California, Massachusetts, New York, Maine, Vermont, Connecticut, Rhode Island, Pennsylvania, New Jersey, Washington and Oregon. Meets Euro IV emission requirements for Europe.

⁽²⁾ Meets Federal Tier 2, Bin 5+ emission requirements. Meets ULEV II NMOG + NOx emission limits under ULEV II for California, Massachusetts, New York, Maine, Vermont, Connecticut, Rhode Island, Pennsylvania, New Jersey, Washington and Oregon.

⁽³⁾ Status as of 12/14/2007.

⁽⁴⁾ Maximum trailer frontal area is 22 sq. ft.

⁽⁵⁾ Maximum trailer frontal area is 40 sq. ft.

⁽⁶⁾ Based on Maximum Options Weight Report Preliminary Final. Add 88.5 lbs. (40 kg) for seven-passenger vehicles.

2010 DODGE JOURNEY FEATURE AVAILABILITY

LEGEND: S = Standard, P = Available within package or group noted in parentheses. O = Optional, O/P = Item is a freestanding option and also included in a package or group
 Complete package information is listed at the end of the Feature Availability section.
 NOTE: Information shown is correct at time of publication and is subject to change.

	SE FWD	SXT FWD	SXT AWD	R/T FWD	R/T AWD
EXTERIOR					
Antenna—Removable, short mast	S	S	S	S	S
Badging					
Journey	S	S	S	S	S
SXT	—	S	S	—	—
R/T	—	—	—	S	S
All-wheel Drive	—	—	S	—	S
Colors					
Inferno Red Crystal Pearl Coat					
White Gold Crystal Pearl Coat					
Deep Water Blue Pearl Coat					
Silver Steel Metallic Clear Coat					
Bright Silver Metallic Clear Coat					
Brilliant Black Crystal Pearl Coat					
Stone White Clear Coat	O	O	O	O	O
Door Handles					
Body-color	S	S	S	—	—
Chromed	—	—	—	S	S
Exhaust Systems—Dual, chromed (standard with 3.5L High Output engine)	—	S	S	S	S
Fascia—Body-color	S	S	S	S	S
Glass					
Solar Control (not available with Popular Equipment Group)	S	—	—	—	—
Sunscreen glass (included with Popular Equipment Group)	P	S	S	S	S
Tinted windshield glass	S	S	S	S	S
Grille—Chromed grille accent with Ram's head badge	S	S	S	S	S
Headlamps					
Halogen, quad	S	S	S	S	S
Headlamp off-time delay	S	S	S	S	S
Automatic	—	S	S	S	S
Fog lamps (included with Exterior Appearance Group)	P	S	S	S	S
Center high-mounted stop lamp	S	S	S	S	S
Back-up lamps	S	S	S	S	S
Daytime running lamps (included with Family Value Group)	P	P	P	P	P
Mirrors					
Power, fold-away, heated, black	S	—	—	—	—
Power, fold-away, heated, body-color		S	S	S	S
Roof Rack—with adjustable roof rail crossbars (included with Popular Equipment Group for SE, Convenience Group I for SXT FWD and AWD)	P	P	P	—	—
Roof rails					
Chromed	—	—	—	S	S
Black (included with Popular Equipment Group)	P	S	S	—	—
Crossbars (included with Convenience Group II)	—	—	—	P	P

2010 DODGE JOURNEY FEATURE AVAILABILITY

	SE FWD	SXT FWD	SXT AWD	R/T FWD	R/T AWD
Windows					
Power with driver one-touch down	S	—	—	—	—
Power with driver and front-passenger express-up/-down	—	S	S	S	S
Rear defroster	S	S	S	S	S
Windshield Wipers					
Variable intermittent	S	S	S	S	S
Rear wiper/washer	S	S	S	S	S
INTERIOR					
Air Conditioning					
Air conditioning with automatic temperature control with dual-zone control (included with Premium Convenience Group)	—	P	P	S	S
Rear air conditioning with heater (included with Flexible Seating Group)	—	P	P	P	P
Air conditioning with three-zone temperature control (included with Flexible Seating Group)	—	P	P	—	—
Automatic temperature control with three-zone temperature control (included with Flexible Seating Group) (SXT must have Premium Convenience Group)	—	P	P	P	P
Air Filtration (included with Popular Equipment Group for SE, Convenience Group I for SXT FWD and AWD, and Convenience Group II for R/T FWD and AWD)	P	P	P	P	P
Assist Handles—Passenger-assist handles (included with Popular Equipment Group)					
	P	S	S	S	S
Cargo Net					
	—	S	S	S	S
Console					
Floor with fore/aft sliding armrest	S	S	S	—	—
Full-length floor console with premium armrest	—	—	—	S	S
Overhead console with interior observation mirror (included with Popular Equipment Group)	P	S	S	S	S
Door Locks—Power					
	S	S	S	S	S
Electronic Vehicle Information Center (included with Convenience Group II)					
	—	—	—	P	P
Floor Mats—Front and rear (included with Popular Equipment Group)					
	P	S	S	S	S
Gauges					
120-mph speedometer	S	S	S	S	S
Premium instrument cluster display with Electronic Vehicle Information Center (included with Convenience Group II)	—	—	—	P	P
Tachometer	S	S	S	S	S
Trip computer with temperature and compass	—	S	S	S	S
Glove Box—Dual, includes Chill Zone™ beverage storage bin					
	S	S	S	S	S
HomeLink universal transceiver (included with Convenience Group I)					
	—	P	P	S	S
Interior Accents					
Door-sill scuff pads	S	S	S	S	S
Base door trim panel	S	—	—	—	—
Highline door trim panel	—	S	S	—	—
Premium door trim panel	—	—	—	S	S
Satin silver accents	S	S	S	—	—
Chromed instrument panel bezel	—	—	—	S	S
Leather-wrapped shift knob (included with Popular Equipment Group)	P	S	S	S	S
Illuminated cup holders	S	S	S	S	S

2010 DODGE JOURNEY FEATURE AVAILABILITY

	SE FWD	SXT FWD	SXT AWD	R/T FWD	R/T AWD
Lighting					
Front courtesy/map lamps	S	—	—	—	—
Glove box lamp	S	S	S	S	S
Rear courtesy/reading lamps	S	S	S	S	S
Liftgate flood lamp	S	S	S	S	S
Portable, rechargeable flashlight	—	S	S	S	S
Front and rear adjustable LED lamps (included with Convenience Group I)	—	P	P	S	S
Driver and front-passenger lower LED lamps (included with Convenience Group I for SXT FWD and AWD and Convenience Group II for R/T FWD and AWD)	—	P	P	P	P
Mirrors					
Rearview manual day/night	S	—	—	—	—
Rearview, auto-dimming	—	S	S	S	S
Interior observation mirror (included with Popular Equipment Group)	P	S	S	S	S
Power Accessory					
12-volt auxiliary power outlet	S	S	S	S	S
12-volt center console power outlet	S	S	S	S	S
12-volt DC front and rear power outlets	S	S	S	S	S
115-volt auxiliary outlet	—	S	S	S	S
Seating					
Premium cloth low-back bucket seats with stain-repel seat fabric	S	S	S	—	—
Leather-trimmed bucket seats	—	—	—	S	S
Front					
Low-back bucket	S	S	S	S	S
Manual driver lumbar adjuster (included with Family Value Group)	P	S	S	S	S
Manual driver height adjuster	S	—	—	—	—
Power six-way driver seat	—	S	S	S	S
Heated front seats (included with Premium Convenience Group)	—	P	P	S	S
Front-passenger forward fold-flat seat	—	S	S	S	S
Front-passenger Flip 'n Stow™ in-seat storage	—	S	S	S	S
Second Row					
60/40 seat with fore/aft adjust	S	S	S	S	S
60/40 Tilt 'n Slide™ easy-entry seat system (included with Flexible Seating Group)	P	P	P	P	P
Child presentation feature	S	S	S	S	S
Second-row seat with two child boosters (included with Family Value Group)	P	P	P	P	P
Seat with center armrest with storage and cup holders	S	S	S	S	S
Second-row reclining/fold-flat seat	S	S	S	S	S
Third Row—50/50 folding/reclining seat (included with Flexible Seating Group)	—	P	P	P	P
Steering Column—Tilt, telescopic					
	S	S	S	S	S
Steering Wheel					
Urethane	S	S	S	—	—
Leather-wrapped, includes steering-wheel-mounted audio controls (included with Popular Equipment Group)	P	S	S	S	S

2010 DODGE JOURNEY FEATURE AVAILABILITY

	SE FWD	SXT FWD	SXT AWD	R/T FWD	R/T AWD
Storage					
Front-passenger in-seat storage	—	S	S	S	S
Instrument panel storage bin	S	S	S	S	S
Grocery bag hooks	—	S	S	S	S
Second-row in-floor storage bins	S	S	S	S	S
Cargo tie down loops	S	S	S	S	S
Sun roof—Power with express-open/-close	—	0	0	0	0
Visors					
Driver sun visor with mirror; passenger visor	S	—	—	—	—
Driver and front-passenger sun visors with illuminated vanity mirrors (included with Popular Equipment Group)	P	S	S	S	S
DVD screen—Second-row overhead 9-inch (included with Rear Seat Video Group I)	P	P	P	P	P
Radios					
AM/FM six-disc CD, DVD, MP3-compatible radio	S	S	S	S	S
Uconnect Navigation (included with Entertainment Group II)	—	P	P	P	P
Uconnect Multimedia (included with Safe and Sound Group)	P	P	P	P	P
SIRIUS Satellite Radio (included with Popular Equipment Group)	P	S	S	S	S
SIRIUS Backseat TV™	—	0	0	0	0
Speaker Systems					
Six speakers	S	S	S	S	S
Six premium speakers with subwoofer and 368-watt amplifier (included with Entertainment Group II, Rear Seat Video Group I and Premium Speaker Group)	P	P	0/P	S	S
iPod® Control (included with Uconnect Phone, not available with Entertainment Group II)	—	P	P	P	P
POWERTRAIN AND CHASSIS					
2.4L Four-cylinder DOHC 16V Dual VVT/Four-speed Automatic	S	—	—	—	—
2.4L Four-cylinder PZEV DOHC 16V Dual VVT/Four-speed Automatic	0	—	—	—	—
3.5L High Output V-6 24V MPI/Six-speed Automatic with Auto Stick	—	S	S	S	S
Alternator					
140-amp	—	S	S	S	S
160-amp (included with Flexible Seating Group)	S	P	P	P	P
Battery—525-amp, maintenance-free	S	S	S	S	S
Brakes—Anti-lock four-wheel disc brakes with hydraulic boost compensation	S	S	S	S	S
Engine Block Heater	0	0	0	0	0
Fuel Tank					
20.5-gallon	S	S	—	S	—
21.1-gallon	—	—	S	—	S
Remote start (included with Premium Convenience Group)	—	P	P	S	S
Speed Control (included with Popular Equipment Group)	P	S	S	S	S

2010 DODGE JOURNEY FEATURE AVAILABILITY

	SE FWD	SXT FWD	SXT AWD	R/T FWD	R/T AWD
Steering					
Power rack-and-pinion	S	S	—	—	—
Performance (included with Exterior Appearance Group and Chrome Appearance Group)	—	P	S	S	S
Suspension					
Normal duty	S	—	—	—	—
Touring	—	S	—	—	—
Performance (included with Exterior Appearance Group and Chrome Appearance Group)	—	P	S	S	S
Tires					
P225/70R16 BSW All-season	S	—	—	—	—
P225/65R17 BSW All-season Touring	—	S	—	—	—
P225/55R19 BSW All-season Touring (included with Exterior Appearance Group and Chrome Appearance Group)	—	0	S	S	S
Compact Spare	S	S	S	S	S
Wheels					
16-inch wheels with wheel covers	S	—	—	—	—
16-inch aluminum wheels (included with Exterior Appearance Group)	P	—	—	—	—
17-inch aluminum wheels	—	S	—	—	—
19-inch machined, cast-aluminum wheels (included with Exterior Appearance Group)	—	0	S	S	S
19-inch aluminum, chrome-clad wheels	—	0	0	0	0
SAFETY AND SECURITY					
Active Head Restraints—Driver and front-passenger	S	S	S	S	S
Air Bags⁽¹⁾					
Advanced multi-stage driver and front-passenger	S	S	S	S	S
Supplemental front-seat side air bags	S	S	S	S	S
Supplemental side-curtain air bags—all rows (with rollover protection)	S	S	S	S	S
BeltAlert—Cluster lamp remains lit and chime sounds until driver buckles up	S	S	S	S	S
Brake/Park Interlock	S	S	S	S	S
Child Protection Rear Door Locks	S	S	S	S	S
Child Seat Anchor System (LATCH)—Lower child seat anchors and upper tether anchors help ease the installation of aftermarket child seats	S	S	S	S	S
Electronic-roll Mitigation (ERM) (included with Electronic Stability Control)	S	S	S	S	S
Electronic Stability Control (ESC) ⁽²⁾	S	S	S	S	S
ParkView™ rear back-up camera ⁽³⁾ (included with Entertainment Group II or Safe and Sound Group)	P	P	P	P	P
Remote keyless illuminated entry	S	S	S	S	S
Seat Belts—Front height-adjustable shoulder belts	S	S	S	S	S
Security Alarm (included with Popular Equipment Group)	P	S	S	S	S
Sentry Key® engine immobilizer Theft-deterrent System	S	S	S	S	S
Tire-pressure Monitoring (TPM)	S	S	S	S	S
Traction Control—All-speed (included with Electronic Stability Control)	S	S	S	S	S
Trailer-sway Damping (included with Electronic Stability Control)	S	S	S	S	S
Uconnect Phone (included with Premium Convenience Group for SXT and Convenience Group II for R/T and Entertainment Group II for SXT & R/T)	—	P	P	P	P

2010 DODGE JOURNEY FEATURE AVAILABILITY

	SE FWD	SXT FWD	SXT AWD	R/T FWD	R/T AWD
PACKAGES / EQUIPMENT GROUPS					
Convenience Group I —Includes cargo compartment cover (five-passenger vehicles only), air filtering, driver and front passenger lower LED lamps, Electronic Vehicle Information Center, front and rear adjustable LED lamps, roof rack with adjustable roof-rail crossbars, leather-wrapped steering wheel with audio controls, iPod® Control, Uconnect Phone, remote start and HomeLink universal transceiver	—	0	0	—	—
Convenience Group II —Includes cargo compartment cover (five-passenger vehicles only), Electronic Vehicle Information Center (EVIC), air filtering, driver and front-passenger lower LED lamps, adjustable roof-rail crossbars, iPod® Control, and Uconnect Phone	—	—	—	0	0
Navigation and Sound Group I —Includes six premium speakers with subwoofer and 368-watt amplifier, Uconnect Navigation, Uconnect Phone, ParkView™ rear back-up camera, and iPod® Control (not available with Safe and Sound Group)	—	0	0	0	0
Exterior Appearance Group —Includes fog lamps, 16-inch aluminum wheels (must have Popular Equipment Group)	0	—	—	—	—
Family Value Group —Includes manual driver lumbar adjust (on SE only), second-row seat with two child booster seats and daytime running headlamps (must have Popular Equipment Group on SE)	0	0	0	0	0
Flexible Seating Group —Includes third-row 50/50 folding/reclining seat, second-row 40/60 Tilt 'n Slide easy-entry seat, rear air conditioning with heater, 160-amp alternator (SXT and R/T), and air conditioning with three-zone temperature control (SXT) and automatic temperature control with three-zone temperature control (on R/T)	—	0	0	0	0
Popular Equipment Group —Includes front and rear floor mats, cargo compartment cover, passenger-assist handles, cargo compartment cover, overhead console with interior observation mirror, sunscreen glass, sun visors with illuminated vanity mirrors, remote keyless illuminated entry, air filtration, roof rack, security alarm, cruise control and SIRIUS Satellite Radio	0	—	—	—	—
Premium Convenience Group —Includes automatic temperature control, air conditioning with dual-zone control, heated front seats, six premium speakers with subwoofer and 368-watt amplifier (must have Convenience Group I)	—	0	0	—	—
Rear Seat Video Group —Includes second-row overhead 9-inch video screen, wireless headphones and video remote control, six premium speakers with subwoofer and 368-watt amplifier (must have Safe and Sound Group or Entertainment Group II)	—	0	0	0	0
Safe and Sound Group —Includes Uconnect Multimedia and ParkView™ rear back-up camera	0	0	0	0	0
Smoker's Group —Includes removable ashtray and cigar lighter	0	0	0	0	0
Trailer-tow Group —Includes engine oil cooler, and four-pin connector wiring (must have Convenience Group I or Convenience Group II)	—	0	0	0	0

⁽¹⁾ Certified to the Federal Regulations that allow less forceful front air bags. Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and weight.

⁽²⁾ No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

⁽³⁾ Always check entire surroundings before backing up.

⁽⁴⁾ Requires Bluetooth enabled mobile phone.